

## **Photometrics**

## Flux out: 8,271 lm


		$\wedge$	
26.74	802,732 / 1,742,029 fc		0.06 ft
3 ft / 1 m	8,640,536 / 18,751,054 lx		1.99 cm
7 ft / 2 m	200,683 / 435,507 fc 2,160,134 / 4,687,764 lx		0.13 ft 3.97 cm
10 ft / 3 m	89.192 / 193.558 fc		0.19 ft 5.96 cm
13 ft / 4 m	50,170 / 108,877 fc 540,034 / 1,171,941 lx		0.26 ft 7.95 cm
16 ft / 5 m	32,109 / 69,681 fc 345,621 / 750,042 lx		0.32 ft 9.94 cm
20 ft / 6 m	22,298 / 48,839 fc 240,015 / 520,863 lx		0.39 ft 11.92 cm
23 ft / 7 m	16,382 / 35,551 fc 176,337 / 382,675 lx		0.45 ft 13.91 cm
26 ft / 8 m	12,542 / 27,219 fc 135,008 / 292,985 lx		0.52 ft 15.90 cm
30 ft / 9 m	9,910 / 21,506 fc 106,673 / 231,495 lx		0.58 ft 17.89 cm
33 ft / 10 m	8,027 / 17,420 fc 86,405 / 187,511 lx		0.65 ft 19.87 cm
Height	E avg / E max	Angle: 1.14°	Diameter

Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance



## **Photometrics**

Flux out: 2,822 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance