


LumiPar 7IP - FULL (20°)

7x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 1,335 lm



Height E avg / E max

Angle: 21.47°

Diameter

Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 7IP - BLUE (20°)

7x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 79.98 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 7IP - GREEN (20°)

7x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 552.7 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 7IP - RED (20°)

7x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 233.1 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 7IP - WHITE (20°)

7x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 565,1 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 7IP - FULL (45°)

7x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 1,626 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 7IP - BLUE (45°)

7x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 92.85 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 7IP - GREEN (45°)

7x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 654.5 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 7IP - RED (45°)

7x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 287.4 lm



Height E avg / E max

Angle: 38.25°

Diameter

Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance


LumiPar 7IP - WHITE (45°)

7x9 W RGBW compact IP LED PAR



Photometrics

Flux out: 754.9 lm



Note: the Curves indicate the illuminated area and the average illumination when the luminaire is at different distance